Neuroscience Letters, 216 (1996) 220–222
Elsevier Science Ireland Ltd.

AUTHOR INDEX

Ai, H., Inouchi, J., Spatial and temporal analysis of evoked neural activity in optical recordings from American cockroach antennal lobes, 77
Aizawa, T., see Haga, S., 191
Aleksandrov, V.G., Bagaev, V.A., Nozdrachev, A.D., Panteleev, S.S., Identification of gastric related neurones in the rat insular cortex, 5
Allan, R.D., see Killinger, S., 101
Alonso, J.R., see Sánchez, F., 155
Altman-Hamamdzic, S., see Vrindavanam, N.S., 133
Ameri, A., Age-dependent differences in sensitivity to aconitine of rat hippocampal slices, 13
Antal, K., see Emri, Z., 121
Anzai, K., Kobayashi, S., Kotake, H., Murakami, H., Korematsu, K., Nonaka, I., Neural BC1 RNA in mouse skeletal muscle is a denervation-induced RNA whose expression is developmentally regulated, 81
Arévalo, R., see Sánchez, F., 155
Arima, H., see Yokoi, H., 65
Arnaud, P., see Vrindavanam, N.S., 133
Arnauld, E., see Henry, C., 141
Arsaut, J., see Henry, C., 141
Aulkemeyer, P., Brinkmeier, H., Wollinsky, K.H., Rüdel, R., The human endogenous local anesthetic-like factor (ELLF) is functionally neutralized by serum albumin, 37

Badia, A., see Pastor, C., 187
Bagaev, V.A., see Aleksandrov, V.G., 5
Balcar, V.J., see Killinger, S., 101
Bastide, B., see Melliti, K., 167
Behr, J., Gloveli, T., Gutierrez, R., Heinemann, U., Spread of low Mg^{2+} induced epileptiform activity from the rat entorhinal cortex to the hippocampus after kindling studied in vitro, 41
Bernert, G., Nemethova, M., Herrera-Marschitz, M., Cairns, N., Lubec, G., Decreased cyclin dependent kinase in brain of patients with Down Syndrome, 68
Bested, A., see Killinger, S., 101
Bickford, P.C., see Gould, T.J., 53
Bjartmar, C., Oligodendroglial sheath lengths in developing rat ventral funiculus and corpus callosum, 85
Bled, F., see Garcion, E., 183
Blok, B.F.M., Roukema, G., Geerdes, B., Holstege, G., Location of external anal sphincter motoneurons in the sacral cord of the female domestic pig, 203
Blume, G.L., see Killinger, S., 101
Bohart, L., see Killinger, S., 101
Bonato, C., Zanette, G., Manganotti, P., Tinazzi, M., Bongiovanni, G., Polo, A., Fiaschi, A., 'Direct' and 'crossed' modulation of human motor cortex excitability following exercise, 97
Bongiovanni, G., see Bonato, C., 97
Bortolotto, Z.A., see Sanabria, E.R.G., 105
Bosch, M.A., see Rønnekleiv, O.K., 129
Bournaud, R., see Melliti, K., 167
Brachet, P., see Garcion, E., 183
Brinkmeier, H., see Aulkemeyer, P., 37
Brown, G.P., see Rossi, G.C., 1
Brüning, G., see Sánchez, F., 155
Cairns, N., see Bernert, G., 68
Calderazzo-Filho, L.S., see Sanabria, E.R.G., 105
Cavalheiro, E.A., see Sanabria, E.R.G., 105
Challet, E., Pévet, P., Malan, A., Intergeniculate leaflet lesion and daily rhythms in food-restricted rats fed during daytime, 214
Cooper, B., see Killinger, S., 101
Cos, S., Verduga, R., Fernández-Viadero, C., Megías, M., Crespo, D., Effects of melatonin on the proliferation and differentiation of human neuroblastoma cells in culture, 113
Crespo, D., see Cos, S., 113
Crunelli, V., see Emri, Z., 121
Cunningham, A.M., see Sokolowski, B.H.A., 89
Cunningham, M.J., see Rønnekleiv, O.K., 129

Darcy, F., see Garcion, E., 183
Dehouck, M.P., see Garcion, E., 183
Demotes-Mainard, J., see Henry, C., 141
Dengler, R., see Münte, T.F., 163
Dermietzel, R., see Miragall, F., 199
Dias, L.S., see Killinger, S., 101
Dinse, H.R., see Reinke, H., 171
Dirnagl, U., see Lindauer, U., 207

Emri, Z., Antal, K., Crunelli, V., Gamma-hydroxybutyric acid decreases thalamic sensory excitatory postsynaptic potentials by an action on presynaptic $GABA_B$ receptors, 121

Fernández-Viadero, C., see Cos, S., 113
Fiaschi, A., see Bonato, C., 97
Foreman, R.D., see Garrison, D.W., 125
Franks, J.J., see Wamil, A.W., 93
Franks, W.T., see Wamil, A.W., 93
Fukuda, J., A pure, monolayer culture of Merkel cells from sinus hair follicles of the rat, 73

Garcion, E., Thanh, X.D., Bled, F., Teissier, E., Dehouck, M.P., Rigault, F., Brachet, P., Girault, A., Torpier, G., Darcy, F., 1,25-dihydroxyvitamin D_3 regulates γ-glutamyl transpeptidase activity in rat brain, 183
Garrison, D.W., Foreman, R.D., Effects of transcutaneous electrical nerve stimulation (TENS) on spontaneous and noxiously evoked dorsal horn cell activity in cats with transected spinal cords, 125
Geerdes, B., see Blok, B.F.M., 203
Gilad, G.M., Gilad, V.H., Rabey, J.M., Arginine and ornithine decarboxylation in rodent brain: coincidental changes during development and after ischemia, 33
Gilad, V.H., see Gilad, G.M., 33
Girault, A., see Garcion, E., 183
Gloveli, T., see Behr, J., 41
Gould, T.J., Bickford, P.C., The effects of aging on cerebellar β-adrenergic receptor activation and motor learning in female F344 rats, 53
Grandy, D.K., see Rønnekleiv, O.K., 129
Grass, K., see Prast, H., 21
Guhad, F.A., Hau, J., Salivary IgA as a marker of social stress in rats, 137
Gutierrez, R., see Behr, J., 41

Neuroscience Letters, 216 (1996) 220–222
Elsevier Science Ireland Ltd.

AUTHOR INDEX

Ai, H., Inouchi, J., Spatial and temporal analysis of evoked neural activity in optical recordings from American cockroach antennal lobes, 77
Aizawa, T., see Haga, S., 191
Aleksandrov, V.G., Bagaev, V.A., Nozdrachev, A.D., Panteleev, S.S., Identification of gastric related neurones in the rat insular cortex, 5
Allan, R.D., see Killinger, S., 101
Alonso, J.R., see Sánchez, F., 155
Altman-Hamamdzic, S., see Vrindavanam, N.S., 133
Ameri, A., Age-dependent differences in sensitivity to aconitine of rat hippocampal slices, 13
Antal, K., see Emri, Z., 121
Anzai, K., Kobayashi, S., Kotake, H., Murakami, H., Korematsu, K., Nonaka, I., Neural BC1 RNA in mouse skeletal muscle is a denervation-induced RNA whose expression is developmentally regulated, 81
Arévalo, R., see Sánchez, F., 155
Arima, H., see Yokoi, H., 65
Arnaud, P., see Vrindavanam, N.S., 133
Arnauld, E., see Henry, C., 141
Arsaut, J., see Henry, C., 141
Aulkemeyer, P., Brinkmeier, H., Wollinsky, K.H., Rüdel, R., The human endogenous local anesthetic-like factor (ELLF) is functionally neutralized by serum albumin, 37

Badia, A., see Pastor, C., 187
Bagaev, V.A., see Aleksandrov, V.G., 5
Balcar, V.J., see Killinger, S., 101
Bastide, B., see Melliti, K., 167
Behr, J., Gloveli, T., Gutierrez, R., Heinemann, U., Spread of low Mg^{2+} induced epileptiform activity from the rat entorhinal cortex to the hippocampus after kindling studied in vitro, 41
Bernert, G., Nemethova, M., Herrera-Marschitz, M., Cairns, N., Lubec, G., Decreased cyclin dependent kinase in brain of patients with Down Syndrome, 68
Bested, A., see Killinger, S., 101
Bickford, P.C., see Gould, T.J., 53
Bjartmar, C., Oligodendroglial sheath lengths in developing rat ventral funiculus and corpus callosum, 85
Bled, F., see Garcion, E., 183
Blok, B.F.M., Roukema, G., Geerdes, B., Holstege, G., Location of external anal sphincter motoneurons in the sacral cord of the female domestic pig, 203
Blume, G.L., see Killinger, S., 101
Bohart, L., see Killinger, S., 101
Bonato, C., Zanette, G., Manganotti, P., Tinazzi, M., Bongiovanni, G., Polo, A., Fiaschi, A., 'Direct' and 'crossed' modulation of human motor cortex excitability following exercise, 97
Bongiovanni, G., see Bonato, C., 97
Bortolotto, Z.A., see Sanabria, E.R.G., 105
Bosch, M.A., see Rønnekleiv, O.K., 129
Bournaud, R., see Melliti, K., 167
Brachet, P., see Garcion, E., 183
Brinkmeier, H., see Aulkemeyer, P., 37
Brown, G.P., see Rossi, G.C., 1
Brüning, G., see Sánchez, F., 155
Cairns, N., see Bernert, G., 68
Calderazzo-Filho, L.S., see Sanabria, E.R.G., 105
Cavalheiro, E.A., see Sanabria, E.R.G., 105
Challet, E., Pévet, P., Malan, A., Intergeniculate leaflet lesion and daily rhythms in food-restricted rats fed during daytime, 214
Cooper, B., see Killinger, S., 101
Cos, S., Verduga, R., Fernández-Viadero, C., Megías, M., Crespo, D., Effects of melatonin on the proliferation and differentiation of human neuroblastoma cells in culture, 113
Crespo, D., see Cos, S., 113
Crunelli, V., see Emri, Z., 121
Cunningham, A.M., see Sokolowski, B.H.A., 89
Cunningham, M.J., see Rønnekleiv, O.K., 129

Darcy, F., see Garcion, E., 183
Dehouck, M.P., see Garcion, E., 183
Demotes-Mainard, J., see Henry, C., 141
Dengler, R., see Münte, T.F., 163
Dermietzel, R., see Miragall, F., 199
Dias, L.S., see Killinger, S., 101
Dinse, H.R., see Reinke, H., 171
Dirnagl, U., see Lindauer, U., 207

Emri, Z., Antal, K., Crunelli, V., Gamma-hydroxybutyric acid decreases thalamic sensory excitatory postsynaptic potentials by an action on presynaptic $GABA_B$ receptors, 121

Fernández-Viadero, C., see Cos, S., 113
Fiaschi, A., see Bonato, C., 97
Foreman, R.D., see Garrison, D.W., 125
Franks, J.J., see Wamil, A.W., 93
Franks, W.T., see Wamil, A.W., 93
Fukuda, J., A pure, monolayer culture of Merkel cells from sinus hair follicles of the rat, 73

Garcion, E., Thanh, X.D., Bled, F., Teissier, E., Dehouck, M.P., Rigault, F., Brachet, P., Girault, A., Torpier, G., Darcy, F., 1,25-dihydroxyvitamin D_3 regulates γ-glutamyl transpeptidase activity in rat brain, 183
Garrison, D.W., Foreman, R.D., Effects of transcutaneous electrical nerve stimulation (TENS) on spontaneous and noxiously evoked dorsal horn cell activity in cats with transected spinal cords, 125
Geerdes, B., see Blok, B.F.M., 203
Gilad, G.M., Gilad, V.H., Rabey, J.M., Arginine and ornithine decarboxylation in rodent brain: coincidental changes during development and after ischemia, 33
Gilad, V.H., see Gilad, G.M., 33
Girault, A., see Garcion, E., 183
Gloveli, T., see Behr, J., 41
Gould, T.J., Bickford, P.C., The effects of aging on cerebellar β-adrenergic receptor activation and motor learning in female F344 rats, 53
Grandy, D.K., see Rønnekleiv, O.K., 129
Grass, K., see Prast, H., 21
Guhad, F.A., Hau, J., Salivary IgA as a marker of social stress in rats, 137
Gutierrez, R., see Behr, J., 41

Haga, S., Aizawa, T., Ishii, T., Ikeda, K., Complement gene expression in mouse microglia and astrocytes in culture: comparisons with mouse peritoneal macrophages, 191
Hamada, Y., see Katoh, K., 9
Hansen, C., see Spiegel, J., 179
Harmar, A.J., Expression of pituitary adenylate cyclase activating polypeptide receptors in the early mouse embryo as assessed by reverse transcription polymerase chain reaction and in situ hybridisation, 45
Harmar, A.J., see Sheward, W.J., 45
Hashimoto, H., Onishi, H., Koide, S., Kai, T., Yamagami, S., Plasma neuropeptide Y in patients with major depressive disorder, 57
Hau, J., see Guhad, F.A., 137
Heinemann, U., see Behr, J., 41
Henry, C., Arsaut, J., Arnauld, E., Demotes-Mainard, J., Transient neonatal elevation in hypothalamic estrogen receptor mRNA in prenatally-stressed male rats, 141
Hermann, D.M., Luppi, P.-H., Peyron, C., Hinckel, P., Jouvet, M., Forebrain projections of the rostral nucleus raphe magnus shown by iontophoretic application of choleratoxin b in rats, 151
Herrera-Marschitz, M., see Bernert, G., 68
Herrmann, A., see Weiser, T., 29
Hidalgo, J., see Melliti, K., 167
Hinckel, P., see Hermann, D.M., 151
Holstege, G., see Blok, B.F.M., 203
Honma, K.-i., see Honma, S., 49
Honma, S., Kanematsu, N., Katsuno, Y., Honma, K.-i., Persistence of circadian oscillation while locomotor activity and plasma melatonin levels became aperiodic under prolonged continuous light in the rat, 49
Horn, E., Sebastian, C., A hypergravity related sensitive period during the development of the roll induced vestibuloocular reflex in an amphibian (*Xenopus laevis*), 25
Horn, J.-L., see Wamil, A.W., 93
Huh, T.-L., see Kim, C.-H., 109

Ikata, T., see Katoh, K., 9
Ikeda, K., see Haga, S., 191
Inouchi, J., see Ai, H., 77
Ishida, N., see Kako, K., 159
Ishii, T., see Haga, S., 191
Iwasaki, Y., see Yokoi, H., 65

Janicki, P.K., see Wamil, A.W., 93
Jöbges, E.M., see Münte, T.F., 163
Johannes, S., see Münte, T.F., 163
Jouvet, M., see Hermann, D.M., 151

Kai, T., see Hashimoto, H., 57
Kako, K., Wakamatsu, H., Ishida, N., c-*fos* CRE-binding activity of CREB/ATF family in the SCN is regulated by light but not a circadian clock, 159
Kanematsu, N., see Honma, S., 49
Kano, T., see Sugiyama, K., 147
Katoh, K., Ikata, T., Katoh, S., Hamada, Y., Nakauchi, K., Sano, T., Niwa, M., Induction and its spread of apoptosis in rat spinal cord after mechanical trauma, 9
Katoh, S., see Katoh, K., 9
Katsuno, Y., see Honma, S., 49
Kelly, M.J., see Rønnekleiv, O.K., 129
Killinger, S., Blume, G.L., Bohart, L., Bested, A., Dias, L.S., Cooper, B., Allan, R.D., Balcar, V.J., Autoradiographic studies indicate regional variations in the characteristics of L-glutamate transporters in the rat brain, 101
Kim, C.-H., Ueshima, E., Muraoka, O., Tanaka, H., Yeo, S.-Y., Huh, T.-L., Miki, N., Zebrafish elav/HuC homologue as a very early neuronal marker, 109
Kim, W.-K., Pae, Y.-S., Involvement of *N*-methyl-D-aspartate receptor and free radical in homocysteine-mediated toxicity on rat cerebellar granule cells in culture, 117
Klein, S., see Münte, T.F., 163
Kobayashi, S., see Anzai, K., 81
Koide, S., see Hashimoto, H., 57
Kondo, K., see Yokoi, H., 65
Korematsu, K., see Anzai, K., 81
Kotake, H., see Anzai, K., 81

Leventhal, L., see Rossi, G.C., 1
Lindauer, U., Megow, D., Schultze, J., Weber, J.R., Dirnagl, U., Nitric oxide synthase inhibition does not affect somatosensory evoked potentials in the rat, 207
Lubec, G., see Bernert, G., 68
Luppi, P.-H., see Hermann, D.M., 151
Lutz, E.M.,
Lutz, E.M., see Sheward, W.J., 45

Ma, J.X., see Vrindavanam, N.S., 133
Malan, A., see Challet, E., 214
Manganotti, P., see Bonato, C., 97
Matsuki, N., see Nakagami, Y., 211
Megías, M., see Cos, S., 113
Megow, D., see Lindauer, U., 207
Melliti, K., Bournaud, R., Bastide, B., Hidalgo, J., Shimahara, T., Effect of SR33805 on barium current and asymmetric intramembrane charge movement in freshly dissociated mouse cerebellar Purkinje neurons, 167
Miki, N., see Kim, C.-H., 109
Min Li, W., Sato, A., Suzuki, A., Trzebski, A., Systemic hypoxia facilitates somato-cardiac sympathetic A- and C-reflexes in anesthetized rats, 175
Miragall, F., Simbürger, E., Dermietzel, R., Mitral and tufted cells of the mouse olfactory bulb possess gap junctions and express connexin43 mRNA, 199
Münte, T.F., Jöbges, E.M., Wieringa, B.M., Klein, S., Schubert, M., Johannes, S., Dengler, R., Human evoked potentials to long duration vibratory stimuli: role of muscle afferents, 163
Murakami, H., see Anzai, K., 81
Muraoka, O., see Kim, C.-H., 109
Murase, T., see Yokoi, H., 65
Muteki, T., see Sugiyama, K., 147

Nagao, T., see Saito, T., 195
Nakagami, Y., Saito, H., Matsuki, N., Optical recording of rat entorhino-hippocampal system in organotypic culture, 211
Nakauchi, K., see Katoh, K., 9
Nemethova, M., see Bernert, G., 68
Neuper, C., Pfurtscheller, G., Post-movement synchronization of beta rhythms in the EEG over the cortical foot area in man, 17
Nishiyama, Y., see Ozaki, N., 61
Niwa, M., see Katoh, K., 9
Nonaka, I., see Anzai, K., 81

Nozdrachev, A.D., see Aleksandrov, V.G., 5

Oiso, Y., see Yokoi, H., 65
Okabe, M., see Saito, T., 195
Onishi, H., see Hashimoto, H., 57
Ozaki, N., Sugiura, Y., Yamamoto, M., Nishiyama, Y., Induction of Fos protein expression in spinal cord neurons by herpes simplex virus infections in the mouse, 61

Pae, Y.-S., see Kim, W.-K., 117
Panteleev, S.S., see Aleksandrov, V.G., 5
Panzica, G.C., see Sánchez, F., 155
Parratto, N.P., see Vrindavanam, N.S., 133
Pasternak, G.W., see Rossi, G.C., 1
Pastor, C., Badia, A., Sabrià, J., Possible involvement of α_1-adrenoceptors in the modulation of [^{3}H]noradrenaline release in rat brain cortical and hippocampal synaptosomes, 187
Pévet, P., see Challet, E., 214
Peyron, C., see Hermann, D.M., 151
Pfurtscheller, G., see Neuper, C., 17
Philippu, A., see Prast, H., 21
Polo, A., see Bonato, C., 97
Prast, H., Grass, K., Philippu, A., Influence of histamine receptor agonists and antagonists on ultradian rhythm of EEG in the posterior hypothalamus of the rat, 21

Rabey, J.M., see Gilad, G.M., 33
Reinke, H., Dinse, H.R., Functional characterization of cutaneous mechanoreceptor properties in aged rats, 171
Rigault, F., see Garcion, E., 183
Rønnekleiv, O.K., Bosch, M.A., Cunningham, M.J., Wagner, E.J., Grandy, D.K., Kelly, M.J., Downregulation of μ-opioid receptor mRNA in the mediobasal hypothalamus of the female guinea pig following morphine treatment, 129
Rossi, G.C., Brown, G.P., Leventhal, L., Yang, K., Pasternak, G.W., Novel receptor mechanisms for heroin and morphine-6β-glucuronide analgesia, 1
Roukema, G., see Blok, B.F.M., 203
Rüdel, R., see Aulkemeyer, P., 37

Sabrià, J., see Pastor, C., 187
Saito, H., see Nakagami, Y., 211
Saito, K., see Saito, T., 195
Saito, T., Nagao, T., Okabe, M., Saito, K., Neurochemical and histochemical evidence for an abnormal catecholamine metabolism in the cerebral cortex of the LongEvans Cinnamon rat before excessive copper accumulation in the brain, 195
Sallee, F.R., see Vrindavanam, N.S., 133
Sanabria, E.R.G., Scorza, F.A., Bortolotto, Z.A., Calderazzo-Filho, L.S., Cavalheiro, E.A., Disruption of light-induced c-Fos immunoreactivity in the suprachiasmatic nuclei of chronic epileptic rats, 105
Sánchez, F., Alonso, J.R., Arévalo, R., Brüning, G., Panzica, G.C., Absence of coexistence between NADPH-diaphorase and antidiuretic hormone in the hypothalamus of two galliforms: Japanese quail (*Coturnix japonica*) and chicken (*Gallus domesticus*), 155
Sano, T., see Katoh, K., 9
Sato, A., see Min Li, W., 175
Schubert, M., see Münte, T.F., 163
Schultze, J., see Lindauer, U., 207

Scorza, F.A., see Sanabria, E.R.G., 105
Sebastian, C., see Horn, E., 25
Sheward, W.J.,
Shimahara, T., see Melliti, K., 167
Simbürger, E., see Miragall, F., 199
Sokolowski, B.H.A., Cunningham, A.M., Sensory cells of the chick cochlea express synaptophysin, 89
Spiegel, J., Hansen, C., Treede, R.-D., Laser-evoked potentials after painful hand and foot stimulation in humans: evidence for generation of the middle-latency component in the secondary somatosensory cortex, 179
Sugiura, Y., see Ozaki, N., 61
Sugiyama, K., Muteki, T., Kano, T., The Japanese herbal medicine 'Saiko-Keishi-To' activates $GABA_A$ receptors of rat sensory neurons in culture, 147
Suzuki, A., see Min Li, W., 175

Tanaka, H., see Kim, C.-H., 109
Teissier, E., see Garcion, E., 183
Thanh, X.D., see Garcion, E., 183
Tinazzi, M., see Bonato, C., 97
Torpier, G., see Garcion, E., 183
Treede, R.-D., see Spiegel, J., 179
Trzebski, A., see Min Li, W., 175

Ueshima, E., see Kim, C.-H., 109

Verduga, R., see Cos, S., 113
Vrindavanam, N.S., Arnaud, P., Ma, J.X., Altman-Hamamdzic, S., Parratto, N.P., Sallee, F.R., The effects of phosphorylation on the functional regulation of an expressed recombinant human dopamine transporter, 133

Wagner, E.J., see Rønnekleiv, O.K., 129
Wakamatsu, H., see Kako, K., 159
Wamil, A.W., Franks, J.J., Janicki, P.K., Horn, J.-L., Franks, W.T., Halothane alters electrical activity and calcium dynamics in cultured mouse cortical, spinal cord, and dorsal root ganglion neurons, 93
Weber, J.R., see Lindauer, U., 207
Weiser, T., Herrmann, A., Wienrich, M., Interactions of the dye Evans Blue and GYKI 52466, a 2,3-benzodiazepine, with (*S*)-α-amino-3-hydroxy-5-methyl-4-isoxazolepropionic acid receptors in cultured rat cortical neurons: electrophysiological evidence for at least two different binding sites for non-competitive antagonists, 29
Wienrich, M., see Weiser, T., 29
Wieringa, B.M., see Münte, T.F., 163
Wollinsky, K.H., see Aulkemeyer, P., 37

Yamagami, S., see Hashimoto, H., 57
Yamamoto, M., see Ozaki, N., 61
Yang, K., see Rossi, G.C., 1
Yeo, S.-Y., see Kim, C.-H., 109
Yokoi, H., Arima, H., Murase, T., Kondo, K., Iwasaki, Y., Oiso, Y., Intracerebroventricular injection of adrenomedullin inhibits vasopressin release in conscious rats, 65

Zanette, G., see Bonato, C., 97